

Nutrafilm™

FINALLY A TENDER BITE !!!

NUTRAFILM™ IS AN EDIBLE FILM MADE FROM WATER-SOLUBLE POLYSACCHARIDES. THIS UNIQUE NEW MATERIAL HAS A VARIETY OF PROPERTIES AND ADVANTAGES...

- a more tender bite;
- no artificial colouring;
- user friendly;
- excellent machinability gives improved stuffing yields;
- improved processing yield;
- no cross contamination;
- non-animal base;
- does not effect nutritional profile;
- available in all standard sizes, in clear or caramel black;
- no superficial crust ;
- customise with customer's logo;
- good industrialisation;
- more "handmade" presentation of the product;
- good flexibility for development of new shapes, with the possibilità of different weight and gauges;
- possible steam cooking;
- possible roast cooking;



TECHNICAL SHEET NUTRAFILM 2141 WATER SOLUBLE AND 621 C

Description:	Edible film made of natural polysaccharides and water. This film is covered with corn starch, in order to better machinability .	
Instruction for label:	For product processed with Nutrafilm 621 C, In Italy is necessary to add it in the list as stabilizer: carrageenan (E407) For product processed with Nutrafilm 2141 water soluble, if the cycle is carried out properly, a very little quantity of carrageenan will stay on the product surface and will allow a more tender and pulpy product.	
Packing:	Rolls of sheets available in different dimensions and width.	
Mechanical data:		
Breaking strenght:	110-120 Kg/cm2	(ASTM D638)
Stretching	35-45%	(ASTM D638)
Thickness	38-46 µm	
Bacteria data:		
Total Micro-biological charge	< 100 UFC/g	
Mold	Negative	
E.Coli	Negative	
Salmonella	Negative	
Storage:	The cases with Nutrafilm has to be stored in a dry room, not refrigerated or frozen.	

**AVAILABILITY AND MEASURE OF WATER
SOLUBLE NUTRAFILM MOD. 2141 BY OUR STORAGE**

Width	Mt. per rool	N° rools per case
300 mm.	100	06
400 mm.	100	06
470 mm.	100	06
520 mm.	100	06
570 mm	100	06

**AVAILABILITY AND MEASURE OF WATER
SOLUBLE NUTRAFILM MOD. 621 C BY OUR
STORAGE**

Width	Mt. per rool	N° rools per case
300 mm.	100	06
400 mm.	100	06
470 mm.	100	06
570 mm	100	06